

INSTRUCTIONS FOR COMPLETING OPTIONAL FORMS

General

While Forms 1 and 2 must be completed for all requests, Form 3 must only be completed when applicable. Instructions for completing this form are provided below.

Community Acknowledgment Form (Form 3)

The Community Acknowledgment Form (Form 3) must be completed for all requests involving the placement of fill, existing or proposed, or requests for land or structures that are inadvertently included in the NFIP regulatory floodway. The form must be completed and signed by the community official responsible for floodplain management in the community. The community name and the subject property address shown in Items 1 and 2 of the Property Information Form must appear in the spaces provided. Space has been provided within each section for the community official to provide comments on the project (e.g. Section A - The project is reasonably safe from flooding and satisfies Parts 60.3 and 65.5 of the NFIP regulations. Section B - Removal of the project from the regulatory floodway will not result in an increase in Base Flood Elevations.). If additional space is required by the community official to provide the community's comments on a project, additional sheets may be attached to the back of this form.

Section A – Requests Involving the Placement of Fill

Instructions for Communities:

As a participant in the NFIP under 44 CFR 60.3(a)(2), you are required to ensure, prior to issuing a floodplain development permit, that an applicant is in compliance with local and NFIP regulations and has obtained all necessary Federal and State permits related to development. For CLOMR-F requests, applicants must document ESA compliance to FEMA prior to issuance of the CLOMR-F determination. For LOMR-F requests, ESA compliance is required independently of FEMA's process. The community must ensure that appropriate ESA permits are obtained per requirement under Section 60.3(a)(2) of FEMA's regulations. Additional information about these requirements is available on Page 4 of this instruction packet. Another common Federal permit requirement may include wetland permits under Section 404 of the Clean Water Act of 1972. If you need a wetlands permit or are not sure if one is required, contact your local U.S. Army Corps of Engineers District Office. Necessary State permits vary depending on the State.

Instructions for Applicants:

You are responsible for obtaining all necessary Federal, State, and local permits as a condition of obtaining a LOMR-F or CLOMR-F. Your community is required to verify that you have obtained these necessary permits prior to issuing a floodplain development permit or signing the Community Acknowledgment Form (MT-1 Form 3). In addition, for CLOMR-F requests, you must document to FEMA that ESA compliance has been achieved prior to issuance of the CLOMR-F determination. For LOMR-F requests, ESA compliance is required independently of FEMA's process. Your community must ensure that appropriate ESA permits are obtained per requirement under Section 60.3(a)(2) of FEMA's regulations. Additional information about these requirements is available on Page 4 of this instruction packet. Another common Federal permit requirement may include wetland permits under Section 404 of the Clean Water Act of 1972. If you need a wetlands permit or are not sure if one is required, contact your local U.S. Army Corps of Engineers District Office. Necessary State permits vary depending on the State.

To assist communities in determining if a property or structure, existing or proposed, is reasonably safe from flooding, DHS-FEMA has published Technical Bulletin 10-01. This bulletin outlines safe building practices, which when followed, may reduce the risk of flood damage to a property or structure. Community Officials interested in obtaining copies of this bulletin should visit our Internet site at <http://www.fema.gov/pdf/fima/tb1001.pdf>. Community Officials that do not have Internet access should contact the FMIX toll free at 1-877-FEMA MAP (1-877-336-2627).

All inquiries regarding these, or other NFIP regulations, should contact the FMIX for assistance.

Section B – Property Located within the Regulatory Floodway

Required for all requests that are inadvertently included in the regulatory floodway. The regulatory floodway is the area of the Special Flood Hazard Area that must remain unobstructed in order to prevent unacceptable increases in Base Flood Elevations. This form must be signed by a community official, responsible for floodplain management, to acknowledge the community's acceptance of a revision to the regulatory floodway within the community.

DEPARTMENT OF HOMELAND SECURITY - FEDERAL EMERGENCY MANAGEMENT AGENCY
PROPERTY INFORMATION FORM

O.M.B. NO. 1660-0015
Expires February 28, 2014

PAPERWORK BURDEN DISCLOSURE NOTICE

Public reporting burden for this data collection is estimated to average 1.63 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and submitting the form. This collection is required to obtain or retain benefits. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 1800 South Bell Street, Arlington, VA 20598-3005, Paperwork Reduction Project (1660-0015). **NOTE: Do not send your completed form to this address.**

This form may be completed by the property owner, property owner's agent, licensed land surveyor, or registered professional engineer to support a request for a Letter of Map Amendment (LOMA), Conditional Letter of Map Amendment (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional Letter of Map Revision Based on Fill (CLOMR-F) for existing or proposed, single or multiple lots/structures. In order to process your request, all information on this form must be completed **in its entirety**, unless stated as optional. **Incomplete submissions will result in processing delays.** Please check the item below that describes your request:

<input checked="" type="checkbox"/> LOMA	A letter from DHS-FEMA stating that an existing structure or parcel of land that has not been elevated by fill (natural grade) would not be inundated by the base flood.
<input type="checkbox"/> CLOMA	A letter from DHS-FEMA stating that a proposed structure that is not to be elevated by fill (natural grade) would not be inundated by the base flood if built as proposed.
<input type="checkbox"/> LOMR-F	A letter from DHS-FEMA stating that an existing structure or parcel of land that has been elevated by fill would not be inundated by the base flood.
<input type="checkbox"/> CLOMR-F	A letter from DHS-FEMA stating that a parcel of land or proposed structure that will be elevated by fill would not be inundated by the base flood if fill is placed on the parcel as proposed or the structure is built as proposed.

Fill is defined as material from any source (including the subject property) placed that raises the ground to or above the Base Flood Elevation (BFE). The common construction practice of removing unsuitable existing material (topsoil) and backfilling with select structural material is not considered the placement of fill if the practice does not alter the existing (natural grade) elevation, which is at or above the BFE. Fill that is placed **before the date of the first National Flood Insurance Program (NFIP) map showing the area in a Special Flood Hazard Area (SFHA) is considered natural grade.**

Has fill been placed on your property to raise ground that was previously below the BFE?

☐ Yes ☒ No

If yes, when was fill placed?

/
month/year

Will fill be placed on your property to raise ground that is below the BFE?

☐ Yes* ☒ No

If yes, when will fill be placed?

/
month/year

* If yes, Endangered Species Act (ESA) compliance must be documented to FEMA prior to issuance of the CLOMR-F determination (please refer page 4 to the MT-1 instructions).

1. Street Address of the Property (if request is for multiple structures or units, please attach additional sheet referencing each address and enter street names below):
15932-16190 MARINER DRIVE, SEAL BEACH, CA.

2. Legal description of Property (Lot, Block, Subdivision or abbreviated description from the Deed):
TRACT 5555, M.M. 215/6-10 & TRACT 5864 M.M. 214/37-41 & TRACT 5865 M.M. 214/42-46 & TRACT 5866 M.M. 215/1-6

3. Are you requesting that a flood zone determination be completed for (check one):

- ☒ Structures on the property? What are the dates of construction? _____ (MM/YYYY)
- ☐ A portion of land within the bounds of the property? (A certified metes and bounds description and map of the area to be removed, certified by a licensed land surveyor or registered professional engineer, are **required**. For the preferred format of metes and bounds descriptions, please refer to the MT-1 Form 1 Instructions.)
- ☐ The entire legally recorded property?

4. Is this request for a (check one):

- ☐ Single structure
- ☐ Single lot
- ☒ Multiple structures (How many structures are involved in your request? List the number: 46)
- ☒ Multiple lots (How many lots are involved in your request? List the number: 4)

In addition to this form (MT-1 Form 1), please complete the checklist below. ALL requests must include one copy of the following:

- ☒ Copy of the effective FIRM panel on which the structure and/or property location has been accurately plotted (property inadvertently located in the NFIP regulatory floodway will require Section B of MT-1 Form 3)
- ☒ Copy of the Subdivision Plat Map for the property (with recordation data and stamp of the Recorder's Office)
OR
- ☒ Copy of the Property Deed (with recordation data and stamp of the Recorder's Office), accompanied by a tax assessor's map or other certified map showing the surveyed location of the property relative to local streets and watercourses. The map should include at least one street intersection that is shown on the FIRM panel.
- ☒ Form 2 – Elevation Form. If the request is to remove the structure, and an Elevation Certificate has already been completed for this property, it may be submitted in lieu of Form 2. If the request is to remove the entire legally recorded property, or a portion thereof, the lowest lot elevation must be provided on Form 2.
- ☒ Please include a map scale and North arrow on all maps submitted.

For LOMR-Fs and CLOMR-Fs, the following must be submitted in addition to the items listed above:

- ☐ Form 3 – Community Acknowledgment Form

For CLOMR-Fs, the following must be submitted in addition to the items listed above:

- ☐ Documented ESA compliance, which may include a copy of an Incidental Take Permit, an Incidental Take Statement, a "not likely to adversely affect" determination from the National Marine Fisheries Service (NMFS) or the U.S. Fish and Wildlife Service (USFWS), or an official letter from NMFS or USFWS concurring that the project has "No Effect" on proposed or listed species or designated critical habitat. Please refer to the MT-1 instructions for additional information.

Please do not submit original documents. Please retain a copy of all submitted documents for your records.

DHS-FEMA encourages the submission of all required data in a digital format (e.g. scanned documents and images on Compact Disc [CD]). Digital submissions help to further DHS-FEMA's Digital Vision and also may facilitate the processing of your request.

Incomplete submissions will result in processing delays. For additional information regarding this form, including where to obtain the supporting documents listed above, please refer to the MT-1 Form Instructions located at http://www.fema.gov/plan/prevent/fhm/dl_mt-1.shtm.

Processing Fee (see instructions for appropriate mailing address; or visit http://www.fema.gov/fhm/frm_fees.shtm for the most current fee schedule)

Revised fee schedules are published periodically, but no more than once annually, as noted in the **Federal Register**. Please note: single/multiple lot(s)/structure(s) LOMAs are fee exempt. The current review and processing fees are listed below:

Check the fee that applies to your request:

- ☐ \$325 (single lot/structure LOMR-F following a CLOMR-F)
- ☐ \$425 (single lot/structure LOMR-F)
- ☐ \$500 (single lot/structure CLOMA or CLOMR-F)
- ☒ \$700 (multiple lot/structure LOMR-F following a CLOMR-F, or multiple lot/structure CLOMA)
- ☐ \$800 (multiple lot/structure LOMR-F or CLOMR-F)

Please submit the Payment Information Form for remittance of applicable fees. Please make your check or money order payable to:

National Flood Insurance Program.

All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Applicant's Name (required): Russell Turk

Company (if applicable): Huntington Marina Association

Mailing Address (required):

16064 Mariner Dr
Huntington Bch CA 92649

Daytime Telephone No. (required):

562-547-4955

E-Mail Address (optional): ☒ By checking here you may receive correspondence electronically at the email address provided):

Fax No. (optional):

Date (required)

10/24/2011

Russell Turk
Signature of Applicant (required)

DEPARTMENT OF HOMELAND SECURITY - FEDERAL EMERGENCY MANAGEMENT AGENCY
ELEVATION FORM

O.M.B. NO. 1660-0015
Expires February 28, 2014

PAPERWORK BURDEN DISCLOSURE NOTICE

Public reporting burden for this data collection is estimated to average 1.25 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and submitting the form. This collection is required to obtain or retain benefits. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 1800 South Bell Street, Arlington, VA 20598-3005, Paperwork Reduction Project (1660-0015). **NOTE: Do not send your completed form to this address.**


This form must be completed for requests and must be completed and signed by a registered professional engineer or licensed land surveyor. **A DHS - FEMA National Flood Insurance Program (NFIP) Elevation Certificate may be submitted in lieu of this form for single structure requests.**


For requests to remove a structure on natural grade OR on engineered fill from the Special Flood Hazard Area (SFHA), submit the lowest adjacent grade (the lowest ground touching the structure), **including an attached deck or garage**. For requests to remove an entire parcel of land from the SFHA, provide the lowest lot elevation; or, if the request involves an area described by metes and bounds, provide the lowest elevation within the metes and bounds description. All measurements are to be rounded to nearest tenth of a foot. In order to process your request, all information on this form must be completed **in its entirety**. **Incomplete submissions will result in processing delays.**

- NFIP Community Number: 06059C0227J Property Name or Address: 15932 -16198 MARINER DRIVE, SEAL BEACH, CA.
- Are the elevations listed below based on ☒ **existing** or ☐ **proposed** conditions? (Check one)
- For the existing or proposed structures listed below, what are the types of construction? (check all that apply)
☐ crawl space ☒ slab on grade ☐ basement/enclosure ☐ other (explain)
- Has DHS - FEMA identified this area as subject to land subsidence or uplift? (see instructions) ☐ Yes ☒ No
If yes, what is the date of the current re-leveling? / (month/year)
- What is the elevation datum? ☐ NGVD 29 ☒ NAVD 88 ☐ Other (explain)
If any of the elevations listed below were computed using a datum different than the datum used for the effective Flood Insurance Rate Map (FIRM) (e.g., NGVD 29 or NAVD 88), what was the conversion factor?
Local Elevation +/- ft. = FIRM Datum
- Please provide the Latitude and Longitude of the most upstream edge of the **structure** (in decimal degrees to the nearest fifth decimal place):
Indicate Datum: ☒ WGS84 ☐ NAD83 ☐ NAD27 Lat. . Long. .
Please provide the Latitude and Longitude of the most upstream edge of the **property** (in decimal degrees to the nearest fifth decimal place):
Indicate Datum: ☒ WGS84 ☐ NAD83 ☐ NAD27 Lat. . Long. .

Address	Lot Number	Block Number	Lowest Lot Elevation*	Lowest Adjacent Grade To Structure	Base Flood Elevation	BFE Source
15932 Mariner Drive, seal Beach	1		7.76	9.02	7.50	LOMR
SEE NEXT 4 SHEETS						

This certification is to be signed and sealed by a licensed land surveyor, registered professional engineer, or architect authorized by law to certify elevation information. All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Certifier's Name: JACOB WRIGHT	License No.: PLS 8717	Expiration Date: June 30, 2012
Company Name: WRIGHT MAPPING, INC.	Telephone No.: (562) 857-2768	
Email: WRIGHTMAPPING@HOTMAIL.COM	Fax No.	
Signature: 	Date: October 12, 2011	



* For requests involving a portion of property, include the lowest ground elevation within the metes and bounds description.
Please note: If the Lowest Adjacent Grade to Structure is the only elevation provided, a determination will be issued for the structure only.

Continued from Page 1.

Address	Lot Number	Block Number	Lowest Lot Elevation*	Lowest Adjacent Grade To Structure	Base Flood Elevation	BFE Source
15932 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15934 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15938 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15936 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15944 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15946 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15948 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15950 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15956 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15958 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15960 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15962 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15968 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15970 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15974 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15976 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15980 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15982 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15984 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15986 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15992 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15994 MARINER DRIVE	1		8.28	8.61	7.50	LOMR
15996 MARINER DRIVE	1		8.82	9.09	7.50	LOMR
15998 MARINER DRIVE	1		8.82	9.09	7.50	LOMR
16004 MARINER DRIVE	1		8.82	9.09	7.50	LOMR
16006 MARINER DRIVE	1		8.82	9.09	7.50	LOMR
16008 MARINER DRIVE	1		8.82	9.09	7.50	LOMR

This certification is to be signed and sealed by a licensed land surveyor, registered professional engineer, or architect authorized by law to certify elevation information. All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Certifier's Name: *JACOB WRIGHT*

License No.: *PLS 8717*

Expiration Date: *6/30/2012*

Company Name:

Telephone No.:

Email:

Fax No.

Signature: *[Signature]*

Date: *Oct 12, 2011*



* For requests involving a portion of property, include the lowest ground elevation within the metes and bounds description.
Please note: If the Lowest Adjacent Grade to Structure is the only elevation provided, a determination will be issued for the structure only.

Continued from Page 1.

Address	Lot Number	Block Number	Lowest Lot Elevation*	Lowest Adjacent Grade To Structure	Base Flood Elevation	BFE Source
16014 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16016 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16018 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16020 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16022 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16028 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16030 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16032 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16034 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16040 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16042 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16044 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16046 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16052 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16054 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16056 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16058 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16064 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16066 MARINER DRIVE	1		8.82	9.09	7.5	LOMR
16068 MARINER DRIVE	1		8.73	8.90	7.5	LOMR
16070 MARINER DRIVE	1		8.73	8.90	7.5	LOMR
16076 MARINER DRIVE	1		8.73	8.90	7.5	LOMR
16078 MARINER DRIVE	1		8.73	8.90	7.5	LOMR
16080 MARINER DRIVE	1		8.73	8.90	7.5	LOMR
16082 MARINER DRIVE	1		8.73	8.90	7.5	LOMR
16088 MARINER DRIVE	1		8.73	8.90	7.5	LOMR
16090 MARINER DRIVE	1		8.73	8.90	7.5	LOMR

This certification is to be signed and sealed by a licensed land surveyor, registered professional engineer, or architect authorized by law to certify elevation information. All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.


Certifier's Name: *JACOB WRIGHT*License No.: *PLS 8717*Expiration Date: *6/30/2012*

Company Name:

Telephone No.:

Email:

Fax No.

Signature: *[Signature]*Date: *Oct 12, 2011*

* For requests involving a portion of property, include the lowest ground elevation within the metes and bounds description.
Please note: If the Lowest Adjacent Grade to Structure is the only elevation provided, a determination will be issued for the structure only.


Continued from Page 1.

Address	Lot Number	Block Number	Lowest Lot Elevation*	Lowest Adjacent Grade To Structure	Base Flood Elevation	BFE Source
16092 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16094 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16100 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16102 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16104 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16106 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16108 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16116 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16118 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16124 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16126 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16128 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16132 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16136 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16138 MARINER DRIVE	1		8.16	8.72	7.5	LOMR
16140 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16142 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16148 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16150 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16152 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16154 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16162 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16164 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16166 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16172 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16174 MARINER DRIVE	1		7.91	8.60	7.5	LOMR
16178 MARINER DRIVE	1		7.91	8.60	7.5	LOMR

This certification is to be signed and sealed by a licensed land surveyor, registered professional engineer, or architect authorized by law to certify elevation information. All documents submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Certifier's Name: <u>JACOB WRIGHT</u>	License No.: <u>PLS 8717</u>
Company Name:	Telephone No.:
Email:	Fax No.:
Signature: <u>[Signature]</u>	Date: <u>OCT 12, 2011</u>

Expiration Date:

6/30/2012

* For requests involving a portion of property, include the lowest ground elevation within the metes and bounds description.

Please note: If the Lowest Adjacent Grade to Structure is the only elevation provided, a determination will be issued for the structure only.

[illegible]

DEPARTMENT OF HOMELAND SECURITY - FEDERAL EMERGENCY MANAGEMENT AGENCY
COMMUNITY ACKNOWLEDGMENT FORM

O.M.B. NO. 1660-0015
Expires February 28, 2014

PAPERWORK BURDEN DISCLOSURE NOTICE

Public reporting burden for this data collection is estimated to average 1.38 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and submitting the form. This collection is required to obtain or retain benefits. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 1800 South Bell Street, Arlington, VA 20598-3005, Paperwork Reduction Project (1660-0015). NOTE: Do not send your completed form to this address.

This form must be completed for requests involving the existing or proposed placement of fill (complete Section A) *OR* to provide acknowledgment of this request to remove a property from the SFHA which was previously located within the regulatory floodway (complete Section B).

This form must be completed and signed by the official responsible for floodplain management in the community. The six digit NFIP community number and the subject property address must appear in the spaces provided below. Incomplete submissions will result in processing delays. Please refer to the MT-1 instructions for additional information about this form.

Community Number: 06059C 0227J

Property Name or Address: 15932 THRU 16198 Mariner Way Huntington Beach HOA

A. REQUESTS INVOLVING THE PLACEMENT OF FILL

As the community official responsible for floodplain management, I hereby acknowledge that we have received and reviewed this Letter of Map Revision Based on Fill (LOMR-F) or Conditional LOMR-F request. Based upon the community's review, we find the completed or proposed project meets or is designed to meet all of the community floodplain management requirements, including the requirement that no fill be placed in the regulatory floodway, and that all necessary Federal, State, and local permits have been, or in the case of a Conditional LOMR-F, will be obtained. For Conditional LOMR-F requests, the applicant has or will document Endangered Species Act (ESA) compliance to FEMA prior to issuance of the Conditional LOMR-F determination. For LOMR-F requests, I acknowledge that compliance with Sections 9 and 10 of the ESA has been achieved independently of FEMA's process. Section 9 of the ESA prohibits anyone from "taking" or harming an endangered species. If an action might harm an endangered species, a permit is required from U.S. Fish and Wildlife Service or National Marine Fisheries Service under Section 10 of the ESA. For actions authorized, funded, or being carried out by Federal or State agencies, documentation from the agency showing its compliance with Section 7(a)(2) of the ESA will be submitted. In addition, we have determined that the land and any existing or proposed structures to be removed from the SFHA are or will be reasonably safe from flooding as defined in 44CFR 65.2(c), and that we have available upon request by DHS-FEMA, all analyses and documentation used to make this determination. For LOMR-F requests, we understand that this request is being forwarded to DHS-FEMA for a possible map revision.

Community Comments:

Community Official's Name and Title: (Please Print or Type)

Telephone No.:

Community Name:

Community Official's Signature: (required)

Date:

B. PROPERTY LOCATED WITHIN THE REGULATORY FLOODWAY

As the community official responsible for floodplain management, I hereby acknowledge that we have received and reviewed this request for a LOMA. We understand that this request is being forwarded to DHS-FEMA to determine if this property has been inadvertently included in the regulatory floodway. We acknowledge that no fill on this property has been or will be placed within the designated regulatory floodway. We find that the completed or proposed project meets or is designed to meet all of the community floodplain management requirements.

Community Comments:

Community Official's Name and Title: (Please Print or Type)

Telephone No.:

Community Name:

Community Official's Signature (required):

Date:

**FEDERAL EMERGENCY MANAGEMENT AGENCY
PAYMENT INFORMATION FORM**

Community Name: **Huntington Beach**
Project Identifier: **Huntington Beach HOA, Mariner Drive**

THIS FORM MUST BE MAILED, ALONG WITH THE APPROPRIATE FEE, TO THE ADDRESS BELOW OR FAXED TO THE FAX NUMBER BELOW.

Type of Request:

- ☒ MT-1 application }
☐ MT-2 application }

LOMC Clearinghouse
7390 Coca Cola Drive
Suite 204
Hanover, MD 21076
Attn.: LOMA Manager

- ☐ EDR application }

FEMA Project Library
847 South Pickett St.
Alexandria, VA 22304
FAX (703) 212-4090

Request No.: _____ (if known)

Amount: **\$700**

☒ INITIAL FEE* ☐ FINAL FEE ☐ FEE BALANCE** ☐ MASTER CARD ☐ VISA ☒ CHECK ☐ MONEY ORDER

*Note: Check only for EDR and/or Alluvial Fan requests (as appropriate).

**Note: Check only if submitting a corrected fee for an ongoing request.

COMPLETE THIS SECTION ONLY IF PAYING BY CREDIT CARD

CARD NUMBER

EXP. DATE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

Month	Year
-------	------

Date _____

Signature _____

NAME (AS IT APPEARS ON CARD): _____
(please print or type)

ADDRESS: _____
(for your
credit card
receipt-please
print or type)

DAYTIME PHONE: _____